

1. Identification**Product Identity:** Ultra Gloss**Recommended Use:** Water-borne floor polish**Producer / Distributor**

McFarland Hanson
2501 4th Avenue
Anoka, MN 55303

Telephone Number for Information: 763-421-9554**Emergency Telephone Number:** 800-255-3924**2. Hazard Identification****Classification:****Health Class**

Mild Skin Irritation Category 3

Eye Irritant Category 2

Specific Target Organ Toxicity - Repeated Exposure Category

2

Physical Class**Environment Class****Label****Symbols****Signal Word** Warning**Hazard Statements:**

Causes mild skin irritation.

Causes eye irritation.

May cause damage to central nervous system, liver, and/or kidneys through prolonged or repeated exposure.

Precautionary Statements:

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash hands thoroughly after handling.

If skin irritation occurs: Get medical attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical attention.

Get medical attention if you feel unwell.

Dispose of contents in accordance with local regulations.

3. Composition/Information on Ingredients**Ingredient****CAS Number****Percent by Weight**

Emulsified Acrylic Polymers

Proprietary

10 - 30

Diethylene Glycol Monoethyl Ether

111-90-0

3 - 7

Tributoxyethyl Phosphate

78-51-3

1 - 5

Emulsified Polymer Wax

Proprietary

1 - 5

Water

7732-18-5

60 - 100

Styrene/Acrylic Solution

Proprietary

2 - 6

4. First-Aid Measures:**Ingestion:** If Swallowed: Do not induce vomiting. Drink water in large amounts and call a physician immediately. Never give anything by mouth to an unconscious person.**Eye Contact:** Flush eyes with running water for at least 15 minutes. If irritation persists, obtain medical attention.**Skin Contact:** Flush thoroughly with cool water. Remove and wash contaminated clothing before reuse.**Inhalation:** Move to fresh air.**5. Fire Fighting Measures:****Suitable Extinguishing Media:** Not Applicable**Special Fire Fighting Procedures:** Not Applicable**Unusual Fire and Explosion Hazards** Not Applicable**6. Accidental Release Measures:**

Dike and contain spill with inert material (sand, earth, etc.). Collect spill with a mop, absorbent material (example: floor-dry) or vacuum. Thoroughly rinse affected area with water.

7. Handling and Storage:

Handling: Keep from freezing. Keep out of reach of children.

Storage: Maintain Temperature Minimum 40°F (4°C) - Maximum 100°F (38°C)

8. Exposure Controls / Personal Protection:**Exposure Limits****Ingredients**

None Listed

CAS Number

XXXX

Osha PEL

XXX

ACGIH TLV

XXX

Exposure Controls

Engineering Controls: Normal good ventilation is sufficient

Personal Protective Equipment:

Eye Protection: Approved Safety Goggles or Glasses

Skin Protection: Chemical Resistant Rubber Gloves

Respiratory Protection: Not required, Avoid breathing spray mist

9. Physical and Chemical Properties:

Physical State: Liquid

Appearance: Milky White

Odor: Mild Acrylic

Specific Gravity (H₂O = 1): 1.038

Vapor Pressure (MM HG): NA

Viscosity

Solubility: Complete

Vapor Density (Air = 1): > 1

pH: 8 - 9

Flammability: None

Auto Ign Temp

%volatile: 75%

Flash Point: None

Decomposition Temp

LEL / UEL

Boiling Point: > 212° F (100°C)

Freezing Point

Evaporation Rate: NA

10. Stability and Reactivity:

Chemical Stability: Stable

Possibility of Hazardous Reactions: None are known

Incompatibility (Materials to Avoid): None are known

Hazardous Decomposition or By-products: None

Hazardous Polymerization: Will not Occur

Conditions to Avoid: None are known

11. Toxicological Information:

Signs and Symptoms of Overexposure: Causes irritation on contact

Acute Effects:

Eye Contact: Causes irritation on contact

Skin Contact: Causes irritation on prolonged or repeated contact

Inhalation: None Known

Ingestion: May be harmful if swallowed

Target Organ Effects: Central nervous system, Liver, Kidneys

Chronic Effects: May cause damage to central nervous system, liver, and/or kidneys through prolonged or repeated exposure.

Acute Toxicity Values:

Oral LD₅₀ > 5000 mg/kg

Dermal LD₅₀ > 5000 mg/kg

Inhalation (Vapor) LC₅₀ Vapors Considered Non-Toxic

12. Ecological Information:

Persistence and Degradability: Not Available

Bio Accumulative Potential: Not Available

Mobility in Soil: Not Available

Aquatic Toxicity: Not Available

13. Disposal Considerations:

Solution may contain zinc. For material not used in normal use, Coagulate with ferric chloride or sulfate and then lime. Decant the clear liquid to a sanitary sewer. Dispose of the coagulum by sanitary landfill or incinerator. Follow all existing pollution control ordinances.

14. Transportation Information:

UN Number: None

Shipping Name: Buffing or Polishing Compound

Transport Hazard Class: None

Packing Group: None

Marine Pollutant: NO

15. Regulatory Information:

TSCA Status: All ingredients listed

Clean Water Act: None of the chemicals in this product are listed under the CWA

Clean Air Act: Glycol Ethers (Diethylene Glycol Monoethyl Ether(111-90-0)) is listed as a hazardous air pollutant (HAP)

CERCLA Reportable Quantity: None

SARA Title III Information:

Section 302 Extremely Hazardous Chemicals: None Listed

Section 311 / 312 Hazard Category: Immediate Health

Section 313 Toxic Chemicals Glycol Ethers (Diethylene Glycol Monoethyl Ether (111-90-0))

State Regulations: None

International Regulations: WHMIS Controlled Product Hazard Class: D2B

California Cleaning Product Right to Know Act of 2017 (SB 258)

Raw Material	CAS No	Function	List
--------------	--------	----------	------

16. Other Information:

Prepared By: Mike Tarvin

Telephone Number: 651-481-1900

Revision Date: 8/7/2018

Supersedes: 4/1/2014


This SDS applies to the following Part Numbers

904497

904495

904493

The information contained herein is based on data considered accurate; however no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. The company assumes no responsibility for personal injury or property damage to vendees, users, or third parties caused by the material. Such vendees or users assume all risks associated with the use of the material.



	1
	0
Physical hazards	0

