acc. to OSHA, Appendix D to § 1910.1200

Protek Cherry

Version number: GHS 2.0 Replaces version of: 2015-05-21 (GHS 1) Date of compilation: 2015-05-27

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Protek Cherry

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses all-purpose cleaner

1.3 Details of the supplier of the safety data sheet

Pro-Tek P.O. Box 1057 Glenns Ferry, ID 83623 1-888-776-8351

Competent person responsible for the SDS Denver Price

1.4 Emergency telephone number

Emergency information service USA 1.800.535.5053, INTL 1.352.323.3500 24 hour emergency telephone number.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Annex - Hazard class and category - Hazard statement code(s)

A.3 serious eye damage/eye irritation Cat. 1 (Eye Dam. 1) H318

Remarks

For full text of H-phrases: see SECTION 16.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Signal word danger

Pictograms

GHS05



Hazard statements

H318 Causes serious eye damage.

Precautionary statements

Precautionary statements - prevention

Wear protective gloves/protective clothing/eye protection/face protection.

acc. to OSHA, Appendix D to § 1910.1200

Protek Cherry

Version number: GHS 2.0 Replaces version of: 2015-05-21 (GHS 1) Date of compilation: 2015-05-27

Precautionary statements - response

IF IN EYES: rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Hazardous ingredients for labelling

sodium metasilicate, anhydrous

2.3 Other hazards

There is no additional information.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Hazard o	lass and category	Hazard state- ment
EDTA, anhydrous	CAS No 64-02-8	1 - < 5	A.10 A.11 A.3 A.9	Acute Tox. 4 Acute Tox. 4 Eye Dam. 1 STOT RE 2	H302 H332 H318 H373
sodium metasilicate, anhydrous	CAS No 6834-92-0	1 - < 5	A.1O A.2 A.3 A.8R	Acute Tox. 4 Skin Corr. 1A Eye Dam. 1 STOT SE 3	H302 H314 H318 H335

For full text of abbreviations: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

Provide fresh air.

Following skin contact

After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water.

acc. to OSHA, Appendix D to § 1910.1200

Protek Cherry

Version number: GHS 2.0 Replaces version of: 2015-05-21 (GHS 1) Date of compilation: 2015-05-27

Following eye contact

Irrigate copiously with clean, fresh water, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

water spray, alcohol resistant foam, BC-powder, carbon dioxide (CO2)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Explosive when mixed with combustible material.

Hazardous combustion products

nitrogen oxides (NOx), carbon monoxide (CO), carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose it.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains.

Advices on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage (sawdust, kieselgur (diatomite), sand, universal binder).

acc. to OSHA, Appendix D to § 1910.1200

Protek Cherry

Version number: GHS 2.0 Replaces version of: 2015-05-21 (GHS 1) Date of compilation: 2015-05-27

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

Reference to other sections

Hazardous combustion products: see section 5. Personal precautions: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Handling of incompatible substances or mixtures

Do not mix with acids.

Advice on general occupational hygiene

Wash hands after use. Do not to eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

Incompatible substances or mixtures

Observe compatible storage of chemicals.

Control of the effects

Protect against external exposure, such as

frost

7.3 Specific end use(s)

See section 16 for a general overview.

acc. to OSHA, Appendix D to § 1910.1200

Protek Cherry

Version number: GHS 2.0 Replaces version of: 2015-05-21 (GHS 1) Date of compilation: 2015-05-27

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Relevant DNELs/DMELs/PNECs and other threshold levels

No data available.

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

· hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state liquid
Color different
Odor fruity

Other physical and chemical parameters

pH (value) 12 - 12.4 at 25 °C (base)

Melting point/freezing point not determined

Initial boiling point and boiling range 100 °C

Flash point not determined

(closed cup)

Evaporation rate not determined

acc. to OSHA, Appendix D to § 1910.1200

Protek Cherry

Version number: GHS 2.0 Date of compilation: 2015-05-27 Replaces version of: 2015-05-21 (GHS 1)

Flammability (solid, gas) not relevant (fluid)
Explosive limits not determined

Vapor pressure 31.69 hPa at 25 °C

Density 1.024 ⁹/_{ml}

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

n-octanol/water (log KOW)

This information is not available.

Auto-ignition temperature not determined

Viscosity not determined

Explosive properties none
Oxidizing properties none

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

Physical stresses which might result in a hazardous situation and have to be avoided

strong shocks

10.5 Incompatible materials

There is no additional information.

Release of flammable materials with

light metals (due to the release of hydrogen in an acid/alkaline medium)

Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

acc. to OSHA, Appendix D to § 1910.1200

Protek Cherry

Version number: GHS 2.0 Date of compilation: 2015-05-27 Replaces version of: 2015-05-21 (GHS 1)

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	ATE
EDTA, anhydrous	64-02-8	oral	1913
sodium metasilicate, anhydrous	6834-92-0	oral	1280

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant.

Carcinogenicity

• National Toxicology Program (United States): none of the ingredients are listed

IARC Monographs
 none of the ingredients are listed

Specific target organ toxicity (STOT)

Shall not be classified as a specific target organ toxicant.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

acc. to OSHA, Appendix D to § 1910.1200

Protek Cherry

Version number: GHS 2.0 Date of compilation: 2015-05-27 Replaces version of: 2015-05-21 (GHS 1)

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity (acute)

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
EDTA, anhydrous	64-02-8	LC50	121 ^{mg} / _I	fish	96 hours

Aquatic toxicity (chronic)

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
EDTA, anhydrous	64-02-8	EC50	625 ^{mg} / _I	aquatic invertebrates	24 h

12.2 Process of degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
EDTA, anhydrous	64-02-8	1.8		

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Data are not available.

acc. to OSHA, Appendix D to § 1910.1200

Protek Cherry

Version number: GHS 2.0 Date of compilation: 2015-05-27 Replaces version of: 2015-05-21 (GHS 1)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

13.3 Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1	UN number	(not subject to transport regulations)

14.2 UN proper shipping name not relevant

14.3 Transport hazard class(es)

Class -

14.4 Packing group not relevant

14.5 Environmental hazards none (non-environmentally hazardous acc. to the danger-

ous goods regulations)

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

The cargo is not intended to be carried in bulk.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

SARA TITLE III (Superfund Amendment and Reauthorization Act)

List of Extremely Hazardous Substances (40 CFR 355) (EPCRA Section none of the ingredients are listed 302 and 304)

Specific Toxic Chemical Listings (40 CFR 372) (EPCRA Section 313) none of the ingredients are listed

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System (American Coatings Association)

acc. to OSHA, Appendix D to § 1910.1200

Protek Cherry

Version number: GHS 2.0 Replaces version of: 2015-05-21 (GHS 1)

> **Description** Category Rating Chronic Chronic (long-term) health effects may result from repeated overexposure. Health 3 Major injury likely unless prompt action is taken and medical treatment is given. Flammability 0 Materials that will not burn under typical fire conditions. Physical hazard 0 Materials that are normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosives. Personal protective equipment

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States) - National Fire Protection Association (United States)

Category	Degree of hazard	Description
Flammability	1	Materials that must be preheated before ignition can occur.
Health	3	Materials that, under emergency conditions, can cause serious or permanent injury.
Instability	0	Materials that are normally stable, even under fire conditions.
Special hazard		

Right to Know Hazardous Substance List

none of the ingredients are listed

Proposition 65 List of chemicals

none of the ingredients are listed

Date of compilation: 2015-05-27

SECTION 16: Other information

16.1 Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)
1.3	Details of the supplier of the safety data sheet: customer name customer address customer phone number customer email	Details of the supplier of the safety data sheet: Pro-Tek P.O. Box 1057 Glenns Ferry, ID 83623 1-888-776-8351
1.3	Competent person responsible for the SDS: Robert Blahnik	Competent person responsible for the SDS: Denver Price

16.2 Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	acute toxicity
ATE	Acute Toxicity Estimate
BCF	BioConcentration Factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CMR	Carcinogenic, Mutagenic or toxic for Reproduction

acc. to OSHA, Appendix D to § 1910.1200

Protek Cherry

Version number: GHS 2.0 Replaces version of: 2015-05-21 (GHS 1)

> Abbr. Descriptions of used abbreviations COD chemical oxygen demand **DMEL** Derived Minimal Effect Level DNEL Derived No-Effect Level Eye Dam. seriously damaging to the eye Eye Irrit. irritant to the eye IARC Monographs on the Evaluation of Carcinogenic Risks to Humans **IARC** Monographs log KOW n-octanol/water MARPOL International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant) NFPA® 704 National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States) NPCA-HMIS® National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition **OSHA** Occupational Safety and Health Administration (United States) PBT Persistent, Bioaccumulative and Toxic **PNEC** Predicted No-Effect Concentration Skin Corr. corrosive to skin Skin Irrit. irritant to skin STOT RE specific target organ toxicity - repeated exposure STOT SE specific target organ toxicity - single exposure vPvB very Persistent and very Bioaccumulative

16.3 Key literature references and sources for data

- OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200
- 49 CFR § 172.101 Hazardous Materials Table (DOT)

16.4 Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards/Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

16.5

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H302	harmful if swallowed
H314	causes severe skin burns and eye damage
H318	causes serious eye damage
H332	harmful if inhaled
H335	may cause respiratory irritation
H373	may cause damage to organs through prolonged or repeated exposure

Date of compilation: 2015-05-27

acc. to OSHA, Appendix D to § 1910.1200

Protek Cherry

Version number: GHS 2.0
Replaces version of: 2015-05-21 (GHS 1)
Date of compilation: 2015-05-27

16.7 Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.