

Release Date: 10/4/18

REF GTIN	Product Name
2P13-10 00380740003715	ARCHITECT 2nd Generation Testosterone Controls
Components:	

2P13L	ARCHITECT 2nd Generation Testosterone Control L,M,N	
2P13M		
2P13N		

Abbott Customers:

For additional information, please contact your Abbott Customer Support Center Representative by calling 1-800-527-1869, 1-800-323-9100, or 1-800-235-5396.

Abbott employees:

For additional information relative to the content of the SDSs, please contact your local Safety Representative.



© Abbott Laboratories Release date 10/04/2018 Last alteration on 07/30/2015

1 Identification

Product name: ARCHITECT 2nd Generation Testosterone Control L,M,N

· ADD List number:

2P13L 2P13M 2P13N

· Application of the substance / mixture: For In Vitro Diagnostic Use

· Manufacturer / Supplier:

Abbott Diagnostics 100 Abbott Park Road Abbott Park, IL 60064-3500

Phone: 1-877-4 ABBOTT

· Department issuing SDS: Abbott Diagnostics Environmental Health and Safety

· Emergency telephone number

Contact the CHEMTREC® Emergency Call Center for assistance with transportation or hazardous materials emergencies (24 hours/day, 7 days/week). Refer to Abbott customer number 675805.

- Telephone (800) 424-9300 (toll-free) if you are calling from within the United States, Canada, Puerto Rico and the Virgin Islands.
- Telephone +1 (703) 527-3887, the international and maritime number (collect calls accepted), if you are calling from outside the United States or from a ship at sea.

2 Hazard(s) identification

Classification of the substance or mixture

Skin Sens. 1 H317 May cause an allergic skin reaction.

- Label elements
 - · GHS label elements: The product is labelled according to the Globally Harmonized System (GHS).
 - · Hazard pictograms:



- · Signal word: Warning
- · Hazard-determining components of labeling:

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1);

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1)

Sodium azide

· Hazard statements:

H317 May cause an allergic skin reaction.

· Precautionary statements:

P261 Avoid breathing mist / vapors / spray.



© Abbott Laboratories Release date 10/04/2018 Last alteration on 07/30/2015

Product name: ARCHITECT 2nd Generation Testosterone Control L,M,N

P272 Contaminated work clothing should not be allowed out of the workplace.

P302+P352 If on skin: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse.

P501 This material and its container must be disposed of in a safe way.

· Routes of Exposure: Skin

· Hazard Overview

· Health: Sensitizer in contact with skin

· Fire: Noncombustible

· Reactivity: Minimal hazard - Stable, even in a fire. Not reactive with water. Not an oxidizer.

3 Composition/information on ingredients

- · Chemical characterization: Mixture of chemical and/or biological substances for in vitro diagnostic use.
- · Hazardous chemical ingredients per U.S. OSHA criteria (29 CFR 1910.1200 Hazard Communication):

CAS: 55965-84-9 Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1)

0.0036%

4 First-aid measures

- General information: Immediately remove any clothing soiled by the product.
- After inhalation: Remove from source of exposure. If irritation or signs of toxicity occur, seek medical attention.
- After skin contact:

Take off any clothing that the product touched.

Rinse skin with running water for 15 to 20 minutes. Seek medical attention if irritation or signs of toxicity occur.

After eve contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention. Wash hands after handling.

- After swallowing: Rinse mouth with water. If irritation or signs of toxicity occur, seek medical attention.
- **Information for Medical Personnel**
 - · Most important symptoms and effects, both acute and delayed:

Allergic reactions

Possibly immune response

This product may cause skin sensitization reactions in some people. See Section 11 for additional information.

Medical conditions aggravated by exposure:

Pre-existing skin ailments

Skin allergies

USA



© Abbott Laboratories Release date 10/04/2018 Last alteration on 07/30/2015

Product name: ARCHITECT 2nd Generation Testosterone Control L,M,N

5 Fire-fighting measures

Suitable extinguishing agents

Dry chemical, carbon dioxide (CO2), water spray or regular foam.

- Caution: CO2 will displace air in confined spaces and may cause an oxygen-deficient atmosphere.
- For larger fires: There are no unique chemical or reactivity hazards that would impact firefighting decisions related to this product. Use firefighting measures that suit the environment.

Special hazards arising from the substance or mixture

There are no unique chemical or reactivity hazards that would impact firefighting decisions due to the chemicals in this product.

Protective equipment

For large fires, wear appropriate heat- and flame-resistant personal protective equipment and a NFPA/NIOSH approved positive-pressure, self-contained breathing apparatus.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Minimize exposure by using appropriate personal protective equipment as listed in Section 8. Stop leak if possible. Keep unprotected persons away.

Environmental precautions

Prevent liquid and vapor from entering sewage system, storm drains, surface waters, and soil.

Methods and material for containment and cleaning up

Blot up small volumes of spilled or spattered product with paper towels or similar materials.

- Contain larger spills by placing absorbants around the outside edges of the spill. Absorb with any material suitable for water-based liquids - e.g. paper towels, universal sorbents, sand, diatomite, sawdust, etc.

Clean the affected area. Suitable cleaners are:

- warm water and detergent or similar cleansing agent

Dispose of spilled and contaminated material in accordance with Federal, State, and Local regulations. See Section 13 for information that may impact disposal of materials contaminated with this product.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Precautions for safe handling: Avoid contact with skin.
- · Information about protection against explosions and fires: The product is not flammable.
- · Requirements to be met by storerooms and receptacles:

Store only in the original container.

Refer to the package insert or product label for additional information on storage conditions for product quality.





© Abbott Laboratories Release date 10/04/2018 Last alteration on 07/30/2015

Product name: ARCHITECT 2nd Generation Testosterone Control L,M,N

- Information about storage in one common storage facility: Store in original packaging.
- · Further information about storage conditions: Protect from heat and direct sunlight.

8 Exposure controls/personal protection

Components with Occupational Exposure Limits

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

CAS: 26628-22-8 Sodium azide (0.0004 %)

REL Ceiling limit value: 0.3** mg/m³, 0.1* ppm

*as HN3; **as NaN3; Skin

TLV Ceiling limit value: 0.29** mg/m³, 0.11* ppm

*as HN3 vapor **as NaN3

General protective and hygienic measures:

Always maintain good housekeeping and follow general precautionary measures. Do not eat, drink or store food and beverages in areas where chemicals or specimens are used. Wash hands before breaks, after handling reagents and specimens, and at the end of the workshift.

Avoid contact with the skin.

Immediately remove all soiled and contaminated clothing.

Breathing equipment:

Normal use and storage of product - respiratory protection is not necessary if room is well ventilated.

Small-volume spills (e.g. small enough to clean up with a paper towel or small sorbent pad) - respiratory protection should not be necessary if room is well ventilated.

Other unusual conditions (e.g. volume spilled too big to clean up with materials in arm's reach) - Use appropriate NIOSH-approved air-purifying respirator if airborne chemical concentrations may exceed the exposure limit (if any) listed above.

Hazardous Materials Emergencies or Firefighting - use NIOSH/NFPA-approved respiratory protection.

· Hand protection:

Wear impervious gloves if hand contact with the material is anticipated. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.

Material of gloves and breakthrough time of the glove material:

The glove material must be suitable for use in a microbiological laboratory and have a measured breakthrough time of at least 30 minutes, such as those with a Class 2 protection index per EN374 (or equivalent standard applicable in your region). NOTE: This recommendation applies only to the product stated in this Safety Data Sheet. When dissolving in or mixing with other substances, contact the supplier of approved gloves.

· Eve protection:

Wear safety glasses or other protective eyewear. If splash potential exists, wear full face shield or goggles.

· Body protection:

Normal use: protect personal clothing from spatters and small spills. Wear a laboratory coat (or other protective clothing required by your institution).

Larger spills (e.g. that can saturate cloth): wear appropriate water-repellant covering over clothing.



© Abbott Laboratories Release date 10/04/2018 Last alteration on 07/30/2015

Product name: ARCHITECT 2nd Generation Testosterone Control L.M.N

9 Physical and chemical properties

•	General	Intorma	tion

· Form: Liquid · Colorless

· Odor: Odorless

pH-value at 20 °C (68 °F) 7.8

Melting point/Melting range:Boiling point/Boiling range:Not determined

Flash point Not applicable Flammability (solid, gaseous) Not applicable

* Auto igniting Product is not self-igniting.

Danger of explosion Product does not present an explosion hazard.

Explosion limits

Lower: Not determinedUpper: Not determined

Density at 20 °C (68 °F) 1.011 g/cm³ (8.4368 lbs/gal)

· Evaporation rate: Not determined

Solubility in / Miscibility with

Water: Fully miscibleDynamic: Not determined

Water: 97.6 % Solids content: 0.0 %

10 Stability and reactivity

Thermal decomposition / conditions to be avoided

No decomposition if used and stored according to specifications.

- * Possibility of hazardous reactions: No dangerous reactions known.
- * Conditions to avoid: No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Acute toxicity
 - LD50/LC50 values for hazardous ingredients per OSHA criteria:
 - Ingredients (100% pure substance/s): Not applicable.



© Abbott Laboratories Release date 10/04/2018 Last alteration on 07/30/2015

Product name: ARCHITECT 2nd Generation Testosterone Control L,M,N

- Primary toxicological effects of the final product:
 - · Skin irritation: No irritant effect.
 - · Eye irritation: No irritant effect.
- Sensitization: Sensitization possible through skin contact.
- Additional toxicological information: None
 - · Carcinogenic categories
 - IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

Target organs/systems:

Skin

Immune system

12 Ecological information

- · Aquatic toxicity: No further relevant information available.
- Additional ecological information
 - · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course, or sewage system.

- Results of PBT and vPvB assessment
 - · PBT: Not applicable
 - · vPvB: Not applicable

13 Disposal considerations

- · Recommendation for disposal of unused product:
- Dispose in accordance with federal, state and local regulations.
- Recommendation for disposal of packaging:

Non-contaminated packaging may be used for recycling. Refer to applicable local regulations and institutional policies.

For disposal of contaminated packaging, refer to applicable local regulations and institutional policies.

· Recommended cleansing agent: Water with cleansing agents, if necessary.

14 Transport information

· DOT, ADN, IMDG, IATA

none



© Abbott Laboratories Release date 10/04/2018 Last alteration on 07/30/2015

Product name: ARCHITECT 2nd Generation Testosterone Control L,M,N

UN proper shipping name

· DOT, ADR, ADN, IMDG, IATA none

Transport hazard class(es)

· DOT, ADR, ADN, IMDG, IATA

Class none DOT, IMDG, IATA none

Environmental hazards

· Marine pollutant: No

Additional information

· DOT

• **Remarks:** Not restricted for transportation.

ADR

• **Remarks:** Not restricted for transportation.

· IMDG

· **Remarks:** Not restricted for transportation.

·IATA

• **Remarks:** Not restricted for transportation.

15 Regulatory information

· SARA (Superfund Amendments and Reauthorization Act of 1986 - USA):

Section 302/304 (40CFR355.30 / 40CFR355.40):

CAS: 26628-22-8 Sodium azide

Section 313 (40CFR372.65):

CAS: 26628-22-8 | Sodium azide

· TSCA new (21st Century Act) (Substances not listed)

CAS: 55965-84-9 Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -

isothiazol-3-one [EC no. 220-239-6] (3:1);

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 230-330-6] (3:1)

isothiazolin-3-one [EC no. 220-239-6] (3:1)

· California Proposition 65 (USA):

· Chemicals known to cause cancer:

CAS: 58-22-0 Testosterone

Chemicals known to cause female reproductive toxicity:

None of the ingredients is listed.

Chemicals known to cause male reproductive toxicity:

None of the ingredients is listed.

USA





© Abbott Laboratories Release date 10/04/2018 Last alteration on 07/30/2015

Product name: ARCHITECT 2nd Generation Testosterone Control L,M,N

Chemicals known to cause developmental reproductive toxicity:

None of the ingredients is listed.

16 Other information

The information and recommendations contained herein are based upon information or tests believed to be reliable. Abbott Laboratories does not guarantee the accuracy or completeness of this information or recommendations contained herein, NOR SHALL ANY OF THIS INFORMATION CONSTITUTE A WARRANTY, WHETHER EXPRESSED OR IMPLIED, AS TO THE SAFETY OF THE GOODS, THE MERCHANTABILITY OF THE GOODS, OR THE FITNESS OF THE GOODS FOR A PARTICULAR PURPOSE.

This information is not a substitute for the advice of a health care professional, nor is it a recommendation for any particular course of treatment. It is not intended to supplement, modify or supersede any information (e.g. labeling and package inserts) provided with respect to the medical use of the product. Abbott Laboratories assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied.

Department issuing SDS

 Abbott Diagnostics Safety, Health and Environmental Assurance Department 0571

Contact

- General information about this product:

Abbott Diagnostics Technical Support 100 Abbott Park Road Abbott Park, IL 60064-3500

Phone: 1-877-4 ABBOTT

· Date of preparation / last revision 10/04/2018 / 5

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (Division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: persistent, bioaccumulative and toxic vPvB: very persistent and very bioaccumulative

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Skin Sens. 1: Skin sensitisation – Category 1

* Sections marked with an asterisk (*) have been altered since the previous version.