

1. Identification**Product Identity:** Ultra Strip**Recommended Use:** Water-Based Floor Finish Stripper**Producer / Distributor**McFarland Hanson
2501 4th Avenue
Anoka, MN 55303**Telephone Number for Information:** 763-421-9554**Emergency Telephone Number:** 800-255-3924**2. Hazard Identification****Classification:****Health Class**Acute Toxicity Category 4
Skin Corrosion Category 1
Serious Eye Damage Category 1
Specific Target Organ Toxicity Category 2**Physical Class****Environment Class****Label****Symbols****Signal Word** Danger**Hazard Statements:**Harmful if swallowed.
Causes severe skin burns and eye damage.
May cause damage to central nervous system.**Precautionary Statements:**Wash hands thoroughly after handling.
Do not eat, drink, or smoke when using this product.
Do not breathe dusts or mists.
Wear protective gloves/eye protection.
IF SWALLOWED: Call a doctor if you feel unwell. Rinse mouth.
IF ON SKIN: Take off immediately all contaminated clothing. Rinse skin with water.
Wash contaminated clothing before reuse.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If exposed or concerned: Call a doctor.
Store locked up.
Dispose of container in accordance with local regulations.**3. Composition/Information on Ingredients**

Ingredient	CAS Number	Percent by Weight
Ethylene Glycol Monobutyl Ether	111-76-2	30 - 45
Ethanolamine	141-43-5	15 - 20
Benzyl Alcohol	100-51-6	20 - 30
Water	7732-18-5	30 - 60

4. First-Aid Measures:**Ingestion:** If swallowed: Do not induce vomiting. If a person can swallow, give several glasses of water. Obtain immediate medical attention.**Eye Contact:** Flush eyes with running water for at least 15 minutes. Obtain immediate medical attention.**Skin Contact:** Flush with cool water. Remove and wash contaminated clothing before reuse.**Inhalation:** Remove to fresh air. If irritation persists, pursue medical attention.**5. Fire Fighting Measures:****Suitable Extinguishing Media:** Not Applicable**Special Fire Fighting Procedures:** Not Applicable**Unusual Fire and Explosion Hazards** None are known**6. Accidental Release Measures:**

Dike and contain spill with inert material (sand, earth, etc.). Collect spill with a mop, absorbent material (example: floor-dry) or vacuum. Thoroughly rinse affected area with water.

7. Handling and Storage:**Handling:** Keep from freezing. Keep out of reach of children.**Storage:** Normal care for storage.**8. Exposure Controls / Personal Protection:****Exposure Limits****Ingredients**Ethylene Glycol Monobutyl Ether
Ethanolamine
Benzyl Alcohol**CAS Number**

111-76-2

Osha PEL

240 mg/m3

ACGIH TLV

20 ppm

Exposure Controls**Engineering Controls:** Ventilate to maintain vapor levels below exposure limits.**Personal Protective Equipment:****Eye Protection:** Approved Safety Goggles or Glasses**Skin Protection:** Chemical Resistant Rubber Gloves**Respiratory Protection:** Not required, Dust/Mist Mask recommended if working in heavy cleaner mists or spray.**9. Physical and Chemical Properties:****Physical State:** Liquid**Appearance:** Clear**Odor:** Lemon**Specific Gravity (H₂O = 1):** 0.99**Vapor Pressure (MM HG):** NA**Viscosity****Solubility:** Complete**Vapor Density (Air = 1):** NA**pH:** 11 - 12**Flammability:** None**Auto Ign Temp****%volatile:** > 80%**Flash Point:** > 200°F (93°C)**Decomposition Temp****LEL / UEL****Boiling Point:** > 212° F (100°C)**Freezing Point****Evaporation Rate:** NA**10. Stability and Reactivity:****Chemical Stability:** Stable**Possibility of Hazardous Reactions:** None are known**Incompatibility (Materials to Avoid):** None are known**Hazardous Decomposition or By-products:** None**Hazardous Polymerization:** Will not Occur**Conditions to Avoid:** None are known**11. Toxicological Information:****Signs and Symptoms of Overexposure:** Causes severe skin burns and eye damage.**Acute Effects:****Eye Contact:** Severe Eye damage can result from direct contact.**Skin Contact:** Causes severe skin burns**Inhalation:** May be harmful with overexposure**Ingestion:** May be harmful if swallowed**Target Organ Effects:** Central nervous system**Chronic Effects:** May cause damage to central nervous system**Acute Toxicity Values:****Oral LD₅₀** 300 - 2000 mg/kg**Dermal LD₅₀** 1000 - 2000 mg/kg**Inhalation (Vapor) LC₅₀** 10 - 20 mg/l**12. Ecological Information:****Persistence and Degradability:** Not Available**Bio Accumulative Potential:** Not Available**Mobility in Soil:** Not Available**Aquatic Toxicity:** Not Available**13. Disposal Considerations:**

Material that cannot be used during normal use should be disposed of in accordance with all applicable local, state and federal regulations. Waste from normal cleaning procedures may be neutralized and disposed of in a sanitary sewer depending on the materials and/or contaminants being cleaned as well as local, state and federal sewer regulations.

14. Transportation Information:

UN Number: UN1760

Shipping Name: Corrosive liquid, N.O.S. (Ethanolamine)

Transport Hazard Class: 8

Packing Group: II

Marine Pollutant: NO

15. Regulatory Information:

TSCA Status: All ingredients listed

Clean Water Act: None of the chemicals in this product are listed under the CWA

Clean Air Act: Glycol Ethers (2-Butoxy Ethanol (111-76-2)) is listed as a hazardous air pollutant (HAP).

CERCLA Reportable Quantity: None

SARA Title III Information:

Section 302 Extremely Hazardous Chemicals: None Listed

Section 311 / 312 Hazard Category: Immediate Health, Chronic Health

Section 313 Toxic Chemicals None Listed

State Regulations: None

International Regulations: WHMIS Controlled Product Hazard Class: D2B

California Cleaning Product Right to Know Act of 2017 (SB 258)

Raw Material	CAS No	Function	List
--------------	--------	----------	------

16. Other Information:

Prepared By: Mike Tarvin

Telephone Number: 651-481-1900

Revision Date: 11/4/2020


Supersedes: 8/7/2018

This SDS applies to the following Part Numbers

906863

906867

The information contained herein is based on data considered accurate; however no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. The company assumes no responsibility for personal injury or property damage to vendees, users, or third parties caused by the material. Such vendees or users assume all risks associated with the use of the material.



	3
	0
Physical hazards	0

